



BOYD



THE
Rental
STORE®

THE BEST TEAM. THE MOST MACHINES.
HASSLE-FREE RENTAL SUPPORT AND THE BEST EQUIPMENT SELECTION




RENTAL POWER SOLUTIONS AVAILABLE

ELECTRIC POWER | COMPRESSED AIR | TEMPERATURE CONTROL

BoydCat.com · 855-4BOYDCO

RENTAL PRODUCTS

SCISSOR LIFTS

Electric		Lift Cap.	Power
13'		500 lb	Electric
15'		600 lb	Electric
19'		500 lb	Electric
19' Micro		500 lb	Electric
20'		800 lb	Electric
26'		1,000 lb	Electric
26' Narrow		500 lb	Electric
32'		700 lb	Electric
32' Narrow		500 lb	Electric
40'		770 lb	Electric
46'		770 lb	Electric

Rough Terrain			
26'		500 lb	IC
33'		1,000 lb	IC
40'		1,500 lb	IC/Dual Fuel
53'		1,500 lb	IC

Low Level Access			
7' Push Around		330 lb	Manual

Vertical Mast Lift			
12' Driveable		500 lb	Electric
15' Driveable		500 lb	Electric
20' Driveable		350 lb	Electric
30'/40' Push Around		350 lb	Electric

Vertical Mast Lift with Jib			
26' Toucan			
32' Toucan			

MINI SKID STEER LOADERS

Model	HP	Weight (lb)	Bkt Width	Rated Op Cap (lb)
SK800	52	5,710	60"-66"	1,400
SK1050	65.8	5,705	60"	1,550
SK1550	73.2	6,559	66"	1,800
SK3000	73.2	6,980	66"	2,150

SKID STEER LOADERS

Model	HP	Weight (lb)	Bkt Width	Rated Op Cap (lb)
226	67.1	5,849	68"	1,550
232	67.1	6,514	68"	1,900
236	74.3	6,567	68"	1,800
242	74.3	7,138	74"	2,200
246	74.3	7,478	74"	2,200
262	74.3	8,296	80"	2,700
272	98	9,133	80"	3,400
272 XE	110	9,573	80"	3,700

High flow available

BOOM LIFTS

Electric Articulating Boom	Lift Cap.	Power
30'	500 lb	Electric
33'	500 lb	Electric
34'	500 lb	Electric
40'	500 lb	Electric
45'	500 lb	Electric
60'	500 lb	Electric

Rough Terrain - Straight		
40'	500 lb	IC
45'/46'	500 lb	IC
60'	500 lb	IC
65'/66'	500 lb	IC
65' Tracked	500 lb	IC
80'	500 lb	IC
80' Tracked	500 lb	IC
85'/86'	500 lb	IC
125'	500 lb	IC

Rough Terrain - Articulating		
45'	500 lb	IC
60'/62'	500 lb	IC
80'	500 lb	IC
135'	600 lb	IC

Tow Behind		
50'	500 lb	Electric

Gas/LP models available
Skypower and Welder Ready units available

COMPACT TRACK LOADERS

Model	HP	Weight (lb)	Bkt Width	Rated Op Cap (lb)
239	65.8	7,289	66"	2,050
249	67.1	7,685	66"	2,300
259	74.3	8,945	66-70"	2,900
279	74.3	9,893	78"	2,935
289	72.9	10,533	78"	3,800
299	95	11,275	78"	4,600

High flow available

Multi Terrain Loaders				
Model	HP	Weight (lb)	Bkt Width	Rated Op Cap (lb)
247	56	6,997	66"	2,150
257	74.3	8,048	66"	2,800

SITECH TECHNOLOGY RENTAL OFFERINGS

ON MACHINE RENTALS

GPS Guidance Control
Laser Guidance Control
UTS (robotic) Guidance Control



OFF MACHINE RENTALS

GPS Base Station
GPS Rover
Robotic Total Station
Pipe Laser
Grade Lasers

Full line of contractor supplies available.

UTILITY CARTS

4x4 Two Seater
4x4 Four Seater
Electric Cart Two Seater



RIDE ON SWEEPERS

Broce 350 w/Blade – Ride on 8' broom with A/C cab and blade
BW260 – 8' towable broom



COMPACTION EQUIPMENT

Plate Compactor
Rammers
Trench Roller



WELDERS

Towable 250 to 500 Amp Diesel
Portable units upon request



AIR COMPRESSORS AND TOOLS

185 CFM to 400 CFM
30, 60, and 90 lb Breakers
Rock Drills and Chipping Hammers
Underground piercing tools



GENERATORS

Generators 2.5kW to 40kW



ELECTRIC COMPACT CONSTRUCTION

Model	Type	Power	Weight (lb)		
Cratos CMX18	Mini Excavator	Electric 110V	3,642	7.5' Dig Depth	6-12 hrs runtime
Cratos 100ECO 2 Speed	Mini Skid Steer	Electric 110V	1,800	595 lb Operating Capacity	9 hrs runtime
Cratos ES800	Dumper	Electric 110V	1,075	Max payload 1,764 lbs	8-10 hrs runtime



PUMPS

2", 3" Electric, Submersible, Portable
2", 3", 4" Gas, Trash, Portable
4", 6", 8" Diesel, Trash, Towable, Self Priming



POWER BUGGY

Wheeled Buggy 16 cu. ft.
Track Buggy 16 cu. ft.



CONCRETE EQUIPMENT

Trowel 36' and 48" walk behind
Concrete Hopper 3/4 CYD, 1.5 CYD
Concrete Vibrators
14" Handheld Cutoff Saws
18" to 36" Walk Behind Saws
Diamond/Abrasive Blades
Core Drills and Bits
Concrete Floor Grinders



MIXERS

Concrete Mixer 9 cu. ft.
Mortar Mixer 9 cu. ft.



HANDHELD TOOLS

Electric Breakers
Gas Breakers
Hammer Drills
*Full Line of Hilti Products



AVAILABLE WORK TOOLS



Asphalt Cold Planers



Brush Cutters/
Mulching Head



Grapple Buckets/
Multi-Purpose Buckets



Harley Rakes/
Landscape Rakes



Trenchers



Auger with Bits



Hydraulic Hammers



Pickup & Angle Brooms



Pallet Forks



Grapple Rake

RENTAL PRODUCTS

DOZERS



Model	HP	Weight (lb)	Blade Options
D1/D3	80	17,465	VPAT/Mulcher
D2/D4	92	18,007	VPAT
D3/D5	104	20,313	VPAT
D4/D6K	130	29,258	VPAT
D5/D6N	166	36,943	VPAT
D6/D6T	215	47,138	VPAT, SU, S, A
D7/D7E	238	57,441	SU, S, A
D8/D8T	312	86,900	S, SU, A

Units with rippers, winches, and mulchers also available as well as LGP under carriages.

TRACK LOADERS



Model	HP	Weight (lb)	Bucket Range (yd)
953	154	33,852	2.4
963	193	44,138	3.2

HYDRAULIC HAMMERS



Model	Ft/Lbs	Carrier
H65	800	CTL/Mini HEX
H95	1,500	BHL/307/308
H110	2,000	311/315
H115	3,000	316/318
H130	4,500	320/323/325
H140	6,000	326/329/330/335
H160	8,500	336
H180	12,000	349

MOTOR GRADERS



Model	HP	Weight (lb)	Moldboard Length
Noram 65E	114	16,800	10'
120M2/120	139	35,067	12'
12M3/140	179	42,647	12'
140M3/150	200	43,950	12'/14'



SCAN THE QR CODE TO
VIEW THE FULL EQUIPMENT
RENTAL LINE.

EXCAVATORS



Model	HP	Weight (lb)	Dig Depth	Width
300.9	13	2,061	5.68'	2.4'
301.7	17.7	3,810	7.22'	3.25'
302	21	4,987	8.4'	4.6'
302.4	17.7	5,115	7.87'	4.59'
302.7	20.7	5,890	8' 4" 9'	5.15'
303	23.5	7,782	9.08'	5'
303.5	31.6	7,734	9.6'	5.8'
304	40.2	8,996	10.25'	6.42'
305	40.2	11,443	10.75'	6.5'
305.5	44.1	11,958	11.42'	6.5'
306	55.9	15,766	13.5'	6.5'
307	50.6	16,028	13.4'	7.58'
308	69.5	20,077	15.2'	7.58'
309	70.3	20,731	15.08'	8.08'
310	70.3	22,447	17.08'	8.08'
311	70	28,660	18.33'	8.75'
313 GC	73	30,400	19.8'	8.1'
313	92	33,080	19.83'	8.83'
315 GC	98	34,000	19.6'	8.8'
315	97	37,794	19.5'	8.83'
316	116	38,801	21.53'	8.83'
317 GC	119	38,100	21'	8.5'
317	130	40,200	21'	8.8'
318	117	42,340	20'	8.83'
320 GC	146	48,281	22'	10.4'
320	172	50,265	22.1'	10.43'
323	172	56,200	22.1'	9.9'
325	172	49,604	22'	9.8'
326	201	57,100	22.38'	10.5'
330 GC	202	67,700	23.8'	10.5'
330	273	68,100	23.8'	11.1'
335	273	77,000	22.11'	10.11'
336 GC	273	80,500	27'	10.8'
336	311	81,900	26.9'	11.3'
349	424	105,200	25.1'	11.9'
374	484	158,200	28.1'	11.17'
395	542	207,300	31.9'	12.9'

Compact Radius Units, Long Reach Models up to 60', Steel and Rubber Tracks, Wheeled on Select Models, Ask About Our Excavator Attachments

ARTICULATED TRUCKS (EMPTY WEIGHT)



Model	HP	Weight (lb)	Capacity (CYD)	(RATED PAYLOAD) Max Load
Hydrema 912 HM	141	41,270	7.3	11.023 ton
Hydrema 922G HM	314	31,195	15.7	24 ton
725	320	50,795	19.6	26.5 ton
730	375	52,305	23	31 ton
735	452	69,225	26.8	36 ton
740 GC	511	71,377	31.9	40 ton
745	511	73,553	32.7	45.2 ton

WHEEL LOADERS



(HEIGHT BUCKET PIN)					
Model	HP	Bucket (CYD)	Weight (lb)	Max Lift	Breakout (Lbf)
906	74	1.6	12,346	10.58	9,666
908	74	2	14,032	11.17	11,464
910	100	2.5	17,893	11.3	12,595-14,853
914	100	2.5	19,315	11.42	13,926-17,726
920	121	2.5	21,742	11.75	17,348-20,085
926	153	6.5	28,770	12.08	19,893-22,550
930	164	6.5	30,879	12.08	24,427-27,274
938	188	6.5	36,216	12.25	26,474-29,035

RUBBER TRACK CARRIER




Model	HP	Max Load (lb)	Machine Weight (lb)
MST1500VD	225	15,435	24,720
MST1500VDR	225	15,435	28,100
MST2200VD	250	24,255	31,820
MST2200VDR	250	24,255	35,273
MST3000VD	300	33,100	33,140

FORKLIFTS



Model	Lift Capacity (lb)	Lifting Height	Gross Weight (lb)	Fuel Type
GP20N	4,000	277"	7,370	Gas/LPG
GP25N5/FG25N5	5,000	277"	7,990	Gas/LPG
GP30N5/FG30N5	6,000	277"	9,400	Gas/LPG
DP40N	8,000	238"	13,050	Diesel
GP45N	9,000	238"	13,820	Gas/LPG

TRENCH SHORING



Steel boxes from 4' to 10' high, 8' to 28' long
Aluminum boxes available
Stone Savers, 5yd, 7yd, 9yd, 12yd
Road Plates, 4'x8', 8'x10', other sizes upon request
Slide Rail Systems available upon request
Manhole Shields height 4' to 8', width 8' to 12'

ON-ROAD DUMP TRUCKS



Single Axle 5/6 yd
Utility Dump truck 2/3 yd
Tri Axle Dump Truck

ROLLERS - SMOOTH/PAD FOOT



Model	Drum Width	Type	Static Weight (lb)
CS44	66"	Single Drum	15,212
CS56/CS11 GC	84"	Single Drum	25,474/24,775
CP44	66"	Single Drum Pad Foot	16,083
CP56/CP11 GC	84"	Single Drum Pad Foot	25,849/25,109

ASPHALT ROLLERS



Model	Drum Width	Type	Static Weight (lb)
RD12	35.4"	Double Drum	2,689
CB24	47"	Double Drum	6,395
CB36	55"	Double Drum	8,856
CB54/CB10	67"	Double Drum	20,945
CB54 XW/CB13	79"	Double Drum	28,440
CB64/CB15	84"	Double Drum	28,958

BACKHOE LOADERS



Model	HP	Weight (lb)	Dig Depth
416	74	22,466	14.3'
420/420 IT	93	24,251	14.3'
430/430 IT	108	24,251	15.4'

TELEHANDLERS



Model	HP	Lift Capacity (lb)	Lift Height	Weight (lb)
TH255	74	5,500	18.37'	11,000
TH407	100	8,150	24'	19,753
TL642	100	6,500	42'	22,002
TL943	111	9,000	43'	25,750
TH514	75	11,000	45.6'	26,211
TL1055	142.1	10,000	54.9'	31,879
TL1255	142.1	12,000	54.6'	34,361
P65.14 HM	170	14,400	45.6'	34,800
P120.10 HM	170	26,500	32.2'	35,750

WATER TRUCKS



2,000, 4,000, and 5,000 gallon capacity

RENTAL POWER SOLUTIONS

ELECTRIC POWER | COMPRESSED AIR | TEMPERATURE CONTROL



SCAN THE QR CODE TO VIEW
THE FULL RENTAL POWER LINE.

BoydCat.com • 855-4BOYDCO



RENTAL POWER SOLUTIONS

ELECTRIC POWER | COMPRESSED AIR | TEMPERATURE CONTROL

30kW - 2000 kW GENERATOR SETS

Generator sets come self-contained, with trailer, or skidmounted fuel-tank bases for easy travel and delivery. Units range from 30kW portable units to 2MW power modules with utility-grade switchgear. Sound-attenuated XQ modules are quiet and all equipment is EPA certified.

From building construction and disaster relief, to concert stage lighting and peak-time utility power, Boyd CAT® has the equipment to fit your needs.

Applications:

- Standby Power
- Prime Power
- Parallel Load Sharing and Peak Shaving
- Major Utility Installations
- UPS Quality Power
- Rental Power for Special Events



ELECTRICAL PANELS

Boyd CAT 60 – 1200 amp panels provide outlets for a wide range of applications such as plant maintenance or shutdowns.



TRANSFORMERS

Transformers provide multiple voltage connections. They can be used to increase or decrease voltage, supply power to your power grid, and isolate your critical loads. Our transformers are set up specifically for rental and include cam-lock inputs and outputs, fork pockets, and reinforced sub frame with lifting eyes.



CABLES

Our 4/0 cam-lock single conductor cables used individually provide up to 400 amp loads and in parallel for larger load requirements. Size #2 cam-lock single conductor cables are used to provide up to 150 amp loads.



CABLE RAMPS

Protect many types of cables, up to 1.25" diameter. Combine units with interlocking design.

FUEL TANKS

500 – 1000 Gallon Diesel

BoydCat.com • 855-4BOYDCO



AIR COMPRESSORS

Boyd CAT knowledge of compressed air allows us to provide our customers with specific cfm, psig, or dew point requirements for any application. Portable compressor packages provide reliable, clean, dry air. All compressor units deliver low-cost air at any flow and pressure for the ultimate in flexibility, whether you need Oil-Free or Instrument Quality.

Applications:

- Air-Powered Controls, Valves, Dampers, and Cylinders
- General Purpose Construction Air
- General Purpose Plant Air
- Mining and Drilling Applications
- Critical Process Air (Oil Free)
- Painting and Sandblasting
- Pneumatic Material Transfer

ELECTRIC COMPRESSORS

Applications:


- Air-Powered Controls, Valves, Dampers, and Cylinders
- General Purpose Construction Air
- General Purpose Plant Air
- Mining and Drilling Applications

OIL FREE AIR COMPRESSORS

The 100% oil free air with no danger of system problems or damage to work in process. Built with fewer components, their simplified design offers premium performance and minimal maintenance. Available in diesel and electric power.

AIR DRYERS

Sullair and Reco Heatless desiccant air dryers ranging from 400-1600CFM providing -40 degree pressure dew point.



20 TON ENTERTAINMENT UNIT AIR CONDITIONER

Our entertainment units (20 ton air conditioning units) are self-contained and provide conditioned air for indoor or outdoor rental applications. Units are sound attenuated and are equipped with high efficiency scroll-type compressors, which allow for cold starting—no preheat required.

Applications:

- Temporary Structure
- Event Cooling and Optional Heating

30 TON AIR CONDITIONER

Applications:

- Cooled Air for Confined Spaces
- Dense Air Injection
- Large Motor Cooling
- Temporary Structure
- Event Cooling and Optional Heating

WATER-COOLED

Boyd CAT offers water-cooled and air-cooled industrial chiller rentals suited for numerous long- or short-term applications. From structure to process cooling, our chiller rentals offer you a dependable option for your temperature control needs.

We are the experts in commercial chiller rental and will help you find the right solution for your application. Boyd CAT will calculate your cooling needs, and we will also deliver, install, build and service your equipment. Our team will design your rental system to provide your required performance while staying in compliance with code and safety requirements. Whichever chiller rental you select, you can trust that you are getting a piece of equipment that you can rely on.



HEATERS

Boyd CAT has a wide range of heater options 4,000 – 1,000,000. Propane, natural gas, diesel, direct fired, indirect fired, or electric. Boyd CAT has a solution for all of your construction, comfort, and process heating needs.



MH1000 MAXI HEATER

Indirect combustion ensures only clean, breathable air is entering the work area. The 191 gallon fuel tank provides up to 30 hours of continuous operation without refueling. Twin heaters produce a maximum of 1,000,000 BTUs may be operated independently depending on heating requirements.

FLEXIBLE DUCT

PVC vinyl coated polyester fabric hose reinforced with a spring steel wire helix and external wearstrip. All hose ends have a belted cuffed end for simple installation. Available in 14" or 20" diameter; standard length 25'.



BoydCat.com · 855-4BOYDCO



WORK SMARTER
USE YOUR FREE CAT® RENTAL STORE ACCOUNT

CUSTOMER PORTAL

CAN BE USED ON A MOBILE APP
OR COMPUTER/DESKTOP

You have a powerful, digital tool to manage your rental business in an accessible, easy, and convenient way. You just have to use it!

Your Customer Portal Account allows you to:

- › Manage your rental contracts and invoices
- › Get fast, high-quality service
- › Take full control of multiple jobsite activities
- › View all your rentals and optimize your work



WHAT ARE YOU WAITING FOR?
Be part of the equipment rental digital era:
use your CatRentalStore.com customer portal
account now.



BoydCat.com · 855-4BOYDCO

The **PERMANENT SOLUTION** to your Temporary Power Needs

Boyd CAT® is your one source for all your Power Rental needs. From disaster relief or scheduled power system maintenance to a standby power supply or a special event. Our fleet of over 25 megawatts of mobile generator sets are engineered for easy transporting and fast installation, designed to work alone or in redundancy and to meet your greatest power need in the shortest time.

In addition to generators, Boyd CAT Rental Power delivers air compressors and temperature control products whenever and wherever you need them. Boyd CAT is hard at work around our region and around the country providing single-source access to all product and accessory needs. We are with you every step of the way to help you design a solution, deliver the equipment, and provide any technical support, service, and training you might need along the way.





SCAN QR CODE TO
ACCESS ONLINE AND
DOWNLOAD BROCHURE

19 LOCATIONS



BOYD

CAT Rental



OVER 100 YEARS OF SERVICE



OVER 30 OF THE BEST MANUFACTURERS



OVER 500 SERVICE TECHNICIANS



OVER 160 FIELD SERVICE TRUCKS



OVER 1,000 YEARS OF COMBINED RENTAL INDUSTRY EXPERIENCE



OVER 8,000 ITEMS TO RENT



BOYD

CAT THE RENTAL STORE

BoydCat.com

ASHLAND

12251 US 60
Ashland, Kentucky 41102
(606) 928-3444

BECKLEY

1314 Robert C. Byrd Drive
Crab Orchard, West Virginia 25827
(304) 253-2706

BELLE

1400 E. Dupont Avenue
Belle, West Virginia 25015
(304) 949-6400

BOWLING GREEN

390 High Rail Way
Bowling Green, Kentucky 42101
(270) 843-3275

BRANDENBURG

160 Moremen Road
Brandenburg, Kentucky 40108
(502) 775-2660

CORBIN

2200 S. Kentucky Avenue
Corbin, Kentucky 40701
(606) 528-3140

DRY RIDGE

215 Meeks Road
Dry Ridge, Kentucky 41035
(859) 823-1500

ELIZABETHTOWN

131 Parkway Drive
Elizabethtown, Kentucky 42701
(270) 769-1300

EVANSVILLE

2420 Lynch Road
Evansville, Indiana 47711
(812) 425-4651

HOPKINSVILLE

211 Commerce Court
Hopkinsville, Kentucky 42240
(270) 885-1700

JACKSON

1477 Mayhew Road
Jackson, Ohio 45640
(740) 286-7566

JEFFERSONTOWN

10910 Electron Drive
Louisville, Kentucky 40299
(502) 244-5700

JEFFERSONVILLE

6109 Hamburg Pike
Jeffersonville, Indiana 47130
(812) 284-1217

LEXINGTON

1900 Jaggie Fox Way
Lexington, Kentucky 40511
(859) 254-2756

LOUISVILLE

1400 Cecil Avenue
Louisville, Kentucky 40211
(502) 774-4441

NITRO

3 Park Road - HUB Industrial Park
Nitro, West Virginia 25143
(304) 759-6400

PADUCAH

1600 North 8th Street
Paducah, Kentucky 42001
(270) 443-3631

PARKERSBURG

4010 Emerson Avenue
Parkersburg, West Virginia 26104
(304) 424-0200

PIKEVILLE

359 S. Lanks Branch
Pikeville, Kentucky 41501
(606) 437-6265

855-4BOYDCO

© 2022 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Yellow", the "Power Edge" and Cat "Modern Hex" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission. www.cat.com / www.caterpillar.com